Precipitation normals for the Yokon and Northwest Territories,

July I9, 1965

MONTHLY AND ANNUAL PRECIPITATION IN INCHES

by Climatology Division

Pam:551.577:(*41N) CMB

POLAR
PAM
2484

POLARPAM

PRECIPITATION NORMALS FOR THE YUKON AND NORTHWEST TERRITORIES

Monthly and annual normals of rainfall, snowfall and total precipitation are shown on these tables for all stations in the Yukon and Northwest Territories, with an appreciable length of record over the period 1931 to 1960. The element is identified in the table by the letters R, S and T in the column farthest to the right. Generally the averages given are based on at least ten years of record. However, shorter records have been used in a few instances where it is important that some kind of provisional normal be established. In every case a code number is given which indicates the way in which the normals have been calculated. The key to this code is given on page 2.

It is planned to publish a booklet on the new precipitation normals at a later date, and this preliminary listing provides an opportunity to apply any needed editorial corrections. Users of these data are therefore urged to advise Meteorological Branch Headquarters of any errors or omissions.

Similar Climatic Data Sheets are being issued containing new precipitation normals for all provinces. It is hoped that these will appear within the next few months.

In the tables rainfall, snowfall and total precipitation are expressed in inches, snowfall being given to one decimal place, the other elements to two.

Climatology Division,
Meteorological Branch,
315 Bloor Street West,
Toronto 5, Ontario.

July 19, 1965.

Rec'd: June 11/80
Order No.:
Price: Gift
Acc. No.: Atmospheric Environment .

BOREAL INSTITUTE
LIBRARY
45751

TYPE OF NORMAL

CODE	DESCRIPTION
1	Normals were computed directly from a period of record of 25 to 30 years within the period 1931 - 1960. In most cases the record existed over the full 30 years.
2	Same as Code 1, but not as much confidence has been placed in the data. These data were considered suspect, but the over all values are mapable.
3	The data for these normals were from the full ten-year period 1951 - 1960 adjusted to the standard normal period 1931 - 1960.
4	These averages are based on the complete ten years of record from 1951 to 1960. No adjustment factor was used.
5	These averages were obtained by taking a ten-year period of record, ending in the early 1960's. No adjustment factor was used.
6	These averages are based on the period of record of 10 to 24 years during the period 1931 to 1960. No adjustment factor has been used.
7	At several locations the observing station was moved from the town or city to an airport during the 1930's. At many of these locations the records were kept separate, but at those locations indicated by Code 7, the airport and town data were considered homogeneous. The resulting normals are based on the full 30-year period, from 1931 - 1960.
8	These data are based on the period of record of less than ten years.
9	These data are based on a period of record of less than ten years, but adjustments have been made when an unusually warm or cold month unduly influenced the average values.
A	These averages at D.E.W. line stations are based on a period of record of five years from 1960 to 1964. No adjustment factor was used.
B	These averages at D.E.W. line stations are based on the period from the opening of the station in 1958 until it was closed in 1963.

Monthly and Annual Precipitation in Inches

YUKON TERRITORY

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
AISHIHIK A	6	T	T	T	.03	.58	1.50	1.75	1.63	.51	.05	T	T	6.05	R
	6	5.1	4.1	5.0	3.2	2.5	T	0.0	T	2.6	5.0	6.1	4.7	38.3	S
	6	.51	.41	.50	.35	.83	1.50	1.75	1.63	.77	.55	.61	.47	9.88	P
DAWSON	1	.00	.00	.01	.09	.95	1.28	1.98	1.94	1.11	.30	T	.02	7.68	R
	1	8.1	5.5	5.1	2.2	0.2	T	0.0	0.0	1.1	7.9	10.5	9.3	49.9	S
	1	.81	.55	.52	.31	.97	1.28	1.98	1.94	1.22	1.09	1.05	.95	12.67	P
ELSA	8	.00	.00	.00	.02	.81	1.30	2.48	2.53	1.45	.28	.08	.02	8.97	R
	8	6.9	7.0	5.4	5.3	0.8	0.0	0.0	T	1.6	9.1	14.4	12.5	63.0	S
	8	.69	.70	.54	.55	.89	1.30	2.48	2.53	1.61	1.19	1.52	1.27	15.27	P
FORT SELKIRK	8	.00	.00	.00	.06	.68	1.20	1.95	1.72	.63	.18	.02	.03	6.47	R
	8	7.9	5.5	4.4	1.5	T	0.0	0.0	0.0	0.9	4.2	10.6	9.0	44.0	S
	8	.79	.55	.44	.21	.68	1.20	1.95	1.72	.72	.60	1.08	.93	10.87	P
KOMAKUK BEACH	A	.02	.00	.00	.00	T	.54	1.60	1.24	.23	.03	.00	.00	3.66	R
	A	3.2	1.2	0.6	1.2	1.4	1.6	0.1	0.5	3.9	8.0	2.0	0.3	24.0	S
	A	.34	.12	.06	.12	.14	.70	1.61	1.29	.62	.83	.20	.03	6.06	P
MAYO LANDING	1	T	T	.02	.07	.79	1.25	1.66	1.77	1.04	.32	.05	.01	6.98	R
	1	7.4	4.8	3.8	1.8	0.2	0.0	0.0	0.0	0.6	6.8	8.6	7.8	41.8	S
	1	.74	.48	.40	.25	.81	1.25	1.66	1.77	1.10	1.00	.91	.79	11.16	P
OLD CROW	8	.00	.00	.00	.00	.10	2.11	1.02	.70	.37	.02	.00	.00	4.32	R
	8	2.9	1.5	3.3	3.6	1.9	0.0	T	T	1.0	5.5	5.3	7.2	32.2	S
	8	.29	.15	.33	.36	.29	2.11	1.02	.70	.47	.57	.53	.72	7.54	P
PINE CREEK	6	.01	T	.02	.08	.39	1.06	1.36	1.07	.99	.52	.37	.33	6.20	R
	6	7.2	4.5	3.5	1.8	0.7	0.1	0.0	0.0	0.9	7.3	10.6	10.8	47.4	S
	6	.73	.45	.37	.26	.46	1.07	1.36	1.07	6.08	1.25	1.43	1.41	10.94	P
SHINGLE POINT	A	.00	.00	.00	.00	.04	.98	1.83	1.25	.10	.16	.00	.00	4.36	R
	A	2.5	0.7	0.6	2.6	1.6	T	0.0	0.3	4.4	13.4	2.8	0.7	29.6	S
	A	.25	.07	.06	.26	.20	.98	1.83	1.28	.54	1.50	.28	.07	7.32	P
SNAG A	6	T	T	T	.11	.93	2.04	2.76	1.99	.85	.05	.02	T	8.75	R
	6	8.9	6.7	5.5	4.8	1.8	0.3	0.0	0.1	2.4	6.6	8.4	7.7	53.2	S
	6	.89	.67	.55	.59	1.11	2.07	2.76	2.00	1.09	.71	.86	.77	14.07	P
TESLIN A	6	T	.02	.02	.07	.60	1.12	1.43	1.44	1.26	.59	.10	T	6.65	R
	6	10.8	6.9	7.5	4.3	0.7	T	0.0	T	1.1	6.1	11.2	12.3	60.9	S
	6	1.08	.71	.77	.50	.67	1.12	1.43	1.44	1.37	1.20	1.22	1.23	12.74	P
WATSON LAKE A	6	T	T	.03	.15	.88	1.92	2.04	1.67	1.39	.52	.12	.01	8.73	R
	6	14.1	10.7	9.1	5.3	1.0	T	0.0	0.1	1.3	8.9	15.1	16.9	82.5	S
	6	1.41	1.07	.94	.68	.98	1.92	2.04	1.68	1.52	1.41	1.63	1.70	16.98	P
WHITEHORSE A	6	T	T	T	.03	.42	1.06	1.36	1.44	.85	.26	.06	.01	5.49	R
	6	7.0	5.6	5.9	4.0	0.8	0.0	0.0	T	1.3	4.7	8.5	7.8	45.6	S
	6	.70	.56	.59	.43	.50	1.06	1.36	1.44	.98	.73	.91	.79	10.05	P

NORTHWEST TERRITORIES

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
AKLAVIK	1	.00	.00	T	T	.12	.60	1.26	1.28	.71	.05	.00	.00	4.02	R
	1	5.4	4.1	3.9	4.4	2.2	1.5	T	0.8	4.1	9.8	7.0	4.7	47.9	S
	1	.54	.41	.39	.44	.34	.75	1.26	1.36	1.12	1.03	.70	.47	8.81	P
AKLAVIK RADIOSONDE	8	.00	.00	.00	.02	.07	.82	1.37	1.38	.65	.04	T	.00	4.35	R
	8	6.0	3.4	3.2	2.6	2.2	0.9	T	0.3	6.1	11.5	6.4	5.4	48.0	S
	8	.60	.34	.32	.28	.29	.91	1.37	1.41	1.26	1.19	.64	.54	9.15	P
ALERT	4	.00	.00	.00	.00	T	.22	.30	.40	.01	T	.00	.00	.93	R
	4	2.2	2.3	2.5	2.3	3.6	2.4	2.8	7.2	11.6	6.3	2.4	2.8	48.4	S
	4	.22	.23	.25	.23	.36	.46	.58	1.12	1.17	.63	.24	.28	5.77	P
ARCTIC BAY	6	T	.00	.00	.00	.02	.24	.79	.95	.29	T	.00	.00	2.29	R
	6	3.1	2.0	2.7	2.3	3.1	2.2	0.1	0.3	5.9	6.6	3.3	2.4	34.0	S
	6	.31	.20	.27	.23	.33	.46	.80	.98	.88	.66	.33	.24	5.69	P

Monthly and Annual Precipitation in Inches

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
ATKINSON POINT	B	.00	.00	.00	.00	.17	.38	1.31	1.32	.42	T	.00	.00	3.61	R
	B	1.8	1.1	1.8	3.1	0.9	T	0.3	T	0.7	6.7	6.7	0.9	23.9	S
	B	.18	.11	.18	.31	.26	.38	1.34	1.32	.49	.67	.67	.09	6.00	P
BAKER LAKE	4	.00	.00	.00	T	.15	.79	1.58	1.77	1.26	.37	T	.00	5.92	R
	4	1.9	1.7	2.2	3.7	1.8	0.3	T	T	0.9	4.1	3.5	2.8	22.9	S
	4	.19	.17	.22	.37	.33	.82	1.58	1.77	1.35	.78	.35	.28	8.21	P
BATHURST INLET	8	.00	.00	.00	.00	.23	.95	1.58	2.30	.81	T	.00	.00	5.87	R
	8	4.2	3.6	5.4	4.4	7.5	1.3	0.0	0.5	3.7	8.2	6.7	6.8	52.4	S
	8	.42	.36	.54	.44	.98	1.08	1.58	2.35	1.18	.82	.67	.68	16.11	P
BERNARD HARBOUR	B	.00	.00	.00	.00	T	.33	1.20	1.16	.63	.15	.00	.00	3.47	R
	B	0.6	0.3	0.5	1.8	1.5	0.2	T	0.1	3.0	6.2	4.0	1.9	20.1	S
	B	.06	.03	.05	.18	.15	.35	1.20	1.17	.93	.77	.40	.19	5.48	P
BREVOORT ISLAND	A	.00	.01	.00	.00	.03	.16	1.49	3.25	1.79	.01	.13	.00	6.87	R
	A	12.2	13.7	6.5	5.1	13.4	7.0	2.6	T	11.4	18.2	7.9	15.9	113.9	S
	A	1.22	1.38	.65	.51	1.37	.86	1.75	3.25	2.93	1.83	.92	1.59	18.26	P
BROUGHTON ISLAND	A	.00	.00	.00	.00	T	.00	.33	.88	.10	T	.00	.00	1.32	R
	A	6.2	3.6	1.9	4.0	9.0	10.2	1.1	2.1	12.7	29.6	13.4	10.4	104.2	S
	A	.63	.36	.19	.40	.90	1.02	.44	1.09	1.37	2.96	1.34	1.04	11.74	P
BYRON BAY	A	.00	.00	.00	.00	.02	.18	.80	.90	.44	.05	.00	.00	2.39	R
	A	0.5	0.3	0.7	2.0	2.0	T	T	T	5.2	4.4	2.1	1.3	18.5	S
	A	.05	.03	.07	.20	.22	.18	.80	.90	.96	.49	.21	.13	4.24	P
CAMBRIDGE BAY A	6	.00	.00	.00	T	.01	.32	.99	.97	.33	.02	T	.00	2.64	R
	6	3.2	1.7	2.2	1.8	2.3	1.8	0.1	0.1	2.8	5.0	4.1	2.5	27.6	S
	6	.32	.17	.22	.18	.24	.50	1.00	.98	.61	.52	.41	.25	5.40	P
CAPE DYER A	A	.01	.01	T	T	T	.47	.89	2.79	1.01	.03	.15	T	5.36	R
	A	25.5	21.4	11.1	10.0	19.7	10.6	1.6	2.5	22.7	32.1	20.1	38.5	215.8	S
	A	2.56	2.12	1.11	.98	2.02	1.61	1.06	3.05	3.28	3.01	1.99	3.61	26.40	P
CAPE HOOPER	A	.00	.00	.00	.00	.00	T	.31	.91	.53	.02	.00	.00	1.77	R
	A	1.4	7.2	2.0	5.0	10.9	4.8	1.1	2.0	8.1	12.1	5.7	4.1	64.4	S
	A	.14	.72	.20	.50	1.09	.48	.42	1.11	1.34	1.23	.57	.41	8.21	P
CAPE PARRY A	A	T	T	T	T	.01	.77	.88	1.39	.43	.09	T	T	3.57	R
	A	2.6	3.1	2.0	7.0	4.7	1.1	0.1	0.3	7.7	11.3	4.3	4.9	49.1	S
	A	.26	.29	.20	.70	.39	.87	.90	1.42	1.18	1.10	.34	.37	8.02	P
CAPE PEEL	B	.00	.00	.00	.00	T	.37	1.40	.77	.78	.00	.00	.00	3.32	R
	B	0.8	1.3	1.3	1.0	1.6	0.4	0.0	T	2.1	6.1	3.9	1.9	20.4	S
	B	.08	.13	.13	.10	.16	.41	1.40	.77	.99	.61	.39	.19	5.36	P
CAPE YOUNG	A	.00	.00	.00	.00	.01	.41	1.22	1.54	.68	.02	.00	.00	3.88	R
	A	1.5	2.0	1.3	2.6	1.4	T	T	0.9	1.9	6.8	3.5	1.8	23.7	S
	A	.15	.20	.13	.26	.15	.41	1.22	1.63	.87	.70	.35	.18	6.25	P
CHESTERFIELD	1	T	.00	T	.01	.11	.94	1.75	1.67	1.39	.43	.01	.00	6.31	R
	1	3.3	3.4	4.5	6.5	4.1	0.9	0.0	T	1.4	8.0	8.0	6.4	46.5	S
	1	.33	.34	.45	.66	.52	1.03	1.75	1.67	1.53	1.23	.81	.64	10.96	P
CLIFTON POINT	B	.00	.00	T	.00	.08	.49	1.62	1.84	.46	.00	.00	.00	4.49	R
	B	0.5	0.5	2.1	3.3	2.7	0.5	T	0.2	1.3	5.8	2.8	1.0	20.7	S
	B	.05	.05	.21	.33	.35	.54	1.62	1.86	.59	.58	.28	.10	6.56	P
CLINTON POINT	A	.00	.00	.00	.00	.07	.80	1.52	1.89	.65	.09	.00	T	5.02	R
	A	3.0	1.5	1.0	4.1	3.3	0.2	0.1	0.2	4.3	10.9	2.4	1.9	32.9	S
	A	.30	.15	.10	.41	.40	.82	1.53	1.91	1.08	1.18	.24	.19	8.31	P
CLYDE	6	T	.00	T	.00	.01	.07	.66	1.14	.44	T	T	T	2.32	R
	6	4.0	2.9	2.2	3.9	4.9	3.1	2.5	1.1	9.8	13.3	8.5	2.5	58.7	S
	6	.40	.29	.22	.39	.50	.38	.91	1.25	1.42	1.33	.85	.25	8.19	P
CONTWOYTO LAKE	8	.00	T	.00	T	.17	1.30	1.76	1.55	.50	.04	T	T	5.32	R
	8	3.0	4.9	4.8	4.3	4.5	3.8	0.1	0.3	4.5	11.0	7.4	5.4	54.0	S
	8	.30	.49	.48	.43	.62	1.68	1.77	1.58	.95	1.14	.74	.54	10.72	P
COPPERMINE	1	.00	.00	.00	.13	.07	.66	1.32	1.71	.84	.18	T	T	4.91	R
	1	4.9	3.2	5.8	3.9	3.9	1.4	0.2	0.1	2.9	8.7	6.7	4.9	46.6	S
	1	.49	.32	.58	.52	.46	.80	1.34	1.72	1.13	1.05	.67	.49	9.57	P
CORAL HARBOUR A	6	T	T	T	.07	.09	.78	1.36	1.48	.96	.16	.01	T	4.91	R
	6	3.2	3.6	3.6	4.8	6.6	2.4	0.3	T	3.4	9.7	6.4	4.9	48.9	S
	6	.32	.36	.36	.55	.75	1.02	1.39	1.48	1.30	1.13	.65	.49	9.80	P

Monthly and Annual Precipitation in Inches

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
DEWAR LAKES	A	.00	.00	.00	.00	T	.04	1.07	2.12	.68	.00	.00	.00	3.91	R
	A	2.2	1.6	1.1	2.8	7.2	4.4	2.4	2.3	9.9	6.2	3.7	2.6	46.4	S
	A	.22	.16	.11	.28	.72	.48	1.31	2.35	1.67	.62	.37	.26	8.55	P
EKALUGAD FIORD	B	.01	.00	.00	.00	.00	.01	1.14	.29	.31	.00	.00	.00	1.76	R
	B	2.7	2.5	0.6	3.7	4.3	4.3	0.3	4.5	9.2	13.2	7.2	0.5	53.0	S
	B	.28	.25	.06	.37	.43	.44	1.17	.74	1.23	1.32	.72	.05	7.06	P
ENNADAI LAKE	4	.00	T	.00	T	.36	.88	1.70	1.55	.99	.25	T	T	5.73	R
	4	3.5	2.8	2.6	4.4	2.8	0.9	T	T	3.4	6.9	5.0	4.2	36.5	S
	4	.35	.28	.26	.44	.64	.97	1.70	1.55	1.33	.94	.50	.42	9.38	P
EUREKA	6	.00	.00	.00	.00	.00	.08	.51	.41	T	.00	.00	.00	1.00	R
	6	1.1	0.7	0.6	0.6	1.2	0.3	0.3	0.5	4.2	2.8	0.9	0.8	14.0	S
	6	.11	.07	.06	.06	.12	.11	.54	.46	.42	.28	.02	.08	2.40	P
FORT GOOD HOPE	6	.01	.00	T	.06	.30	1.04	1.53	1.80	1.07	.08	T	.00	5.89	R
	6	5.9	3.9	4.0	2.9	2.3	0.1	0.0	T	2.7	9.4	9.3	5.8	46.3	S
	6	.60	.39	.40	.35	.53	1.05	1.53	1.80	1.34	1.02	.93	.58	10.52	P
FORT GOOD HOPE 2	1	T	.00	.00	.05	.38	1.21	1.85	2.18	1.10	.14	.02	T	6.93	R
	1	6.8	6.1	5.6	4.4	3.7	0.2	0.0	T	2.0	10.5	10.6	6.3	56.2	S
	1	.68	.61	.56	.49	.75	1.23	1.85	2.18	1.30	1.19	1.08	.63	12.55	P
FORT MCPHERSON	1	.00	.00	.00	.01	.17	1.03	1.05	1.96	1.03	.05	.00	.01	5.31	R
	1	7.1	5.6	6.3	7.0	3.2	0.6	0.0	0.2	4.1	14.3	10.1	4.8	63.3	S
	1	.71	.56	.63	.71	.49	1.09	1.05	1.98	1.44	1.48	1.01	.49	11.64	P
FORT NORMAN	1	T	.00	T	.10	.60	1.65	1.95	2.07	1.28	.14	T	.00	7.79	R
	1	5.8	5.2	4.7	4.2	2.2	0.3	0.0	0.0	2.6	9.5	11.1	5.7	51.3	S
	1	.58	.52	.47	.52	.82	1.68	1.95	2.07	1.54	1.09	1.11	.57	12.92	P
FORT PROVIDENCE	6	.00	.00	T	.10	.52	.88	1.37	1.37	1.00	.49	.02	.00	5.75	R
	6	6.5	5.4	5.9	5.0	1.1	T	0.0	0.0	0.7	3.2	9.3	7.6	44.7	S
	6	.65	.54	.59	.60	.63	.88	1.37	1.37	1.07	.81	.95	.76	10.22	P
FORT RELIANCE	4	.00	.00	T	.02	.21	.74	1.10	1.08	.89	.28	.01	T	4.33	R
	4	4.0	4.1	4.0	3.6	2.2	0.2	T	0.0	1.3	7.9	9.4	7.4	44.1	S
	4	.40	.41	.40	.38	.43	.76	1.10	1.08	1.02	1.07	.95	.74	8.74	P
FORT RESOLUTION	6	.00	T	T	.13	.69	.97	1.33	1.36	1.53	.54	.01	T	6.56	R
	6	4.6	5.2	3.7	3.4	0.9	T	0.0	0.0	1.1	8.0	15.1	7.9	49.9	S
	6	.46	.52	.37	.47	.78	.97	1.33	1.36	1.64	1.34	1.52	.79	11.55	P
FORT SIMPSON	1	.00	.00	T	.19	.93	1.42	2.14	1.88	1.23	.34	T	T	8.13	R
	1	6.8	4.7	5.7	4.9	2.0	T	0.0	T	0.5	4.9	9.6	8.8	47.9	S
	1	.68	.47	.57	.68	1.13	1.42	2.14	1.88	1.28	.83	.96	.88	12.92	P
FORT SMITH A	1	.01	T	.01	.17	.91	1.21	2.10	1.36	1.50	.44	.04	.01	7.76	R
	1	6.0	6.8	7.4	4.8	1.1	T	T	T	1.6	7.2	9.9	10.4	55.2	S
	1	.61	.68	.75	.65	1.02	1.21	2.10	1.36	1.66	1.16	1.03	1.05	13.28	P
FROBISHER BAY A	6	.02	T	T	.10	.15	1.08	2.09	2.07	1.20	.19	.04	T	6.94	R
	6	8.6	10.3	7.6	7.1	6.1	2.1	T	0.1	4.8	11.5	12.7	9.6	80.5	S
	6	.88	1.03	.76	.81	.76	1.29	2.09	2.08	1.68	1.34	1.31	.96	14.99	P
GLADMAN POINT	A	.00	.00	.00	T	.02	.25	1.37	1.35	.30	.02	.00	.00	3.31	R
	A	0.2	0.6	0.3	2.3	3.3	0.1	T	0.3	4.7	6.0	0.6	1.8	20.2	S
	A	.02	.06	.03	.23	.35	.26	1.37	1.38	.77	.62	.06	.18	5.33	P
HALL BEACH A	A	T	.00	.00	T	T	.17	1.55	1.57	.39	T	T	.00	3.68	R
	A	3.2	3.8	2.1	3.8	6.7	1.5	T	0.5	6.3	9.1	7.6	4.1	48.7	S
	A	.32	.38	.21	.38	.67	.32	1.55	1.62	1.02	.90	.73	.38	8.48	P
HAY RIVER	7	.01	.01	T	.19	.78	.95	1.61	1.47	1.49	.70	.04	.01	7.26	R
	7	6.2	5.9	5.8	4.5	1.5	0.3	0.0	0.0	0.6	6.8	12.8	8.9	53.3	S
	7	.63	.60	.58	.64	.93	.98	1.61	1.47	1.55	1.38	1.32	.90	12.59	P
HOLMAN	6	.00	.00	.00	.00	.04	.21	.79	.96	.47	.04	.00	.00	2.51	R
	6	2.5	2.4	2.9	3.5	2.9	0.8	0.1	0.8	3.2	6.4	3.3	2.2	31.0	S
	6	.25	.24	.29	.35	.33	.29	.80	1.04	.79	.68	.33	.22	5.61	P
HORTON RIVER	B	.00	.00	.00	.00	.01	.88	.99	.92	.49	T	.00	.00	3.29	R
	B	0.8	0.9	1.0	1.8	1.6	0.2	T	1.2	5.1	9.8	4.4	0.5	27.3	S
	B	.08	.09	.10	.18	.17	.90	.99	1.04	1.00	.98	.44	.05	6.02	P
INUVIK A	8	.01	.00	.00	T	.24	.80	1.80	1.03	.32	.14	T	.00	4.33	R
	8	9.6	5.8	5.6	8.8	2.7	0.6	0.1	0.7	4.2	13.5	8.7	7.7	68.0	S
	8	.94	.56	.53	.85	.51	.86	1.81	1.17	.70	1.46	.77	.71	10.87	P

Monthly and Annual Precipitation in Inches

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
ISACHSEN	6	.00	.00	.00	.00	T	.01	.65	.64	.07	.00	.00	.00	1.37	R
	6	0.6	0.6	0.4	1.5	3.0	1.3	1.9	1.6	6.2	3.4	1.5	0.6	22.6	S
	6	.06	.06	.04	.15	.30	.14	.84	.80	.69	.34	.15	.06	3.63	P
KEITH BAY	B	.00	.00	.00	.00	T	.22	1.14	1.85	.95	.00	.00	.00	4.16	R
	B	1.2	0.9	0.0	4.3	2.3	0.1	T	0.0	3.1	4.4	1.3	2.4	20.0	S
	B	.12	.09	.00	.43	.23	.23	1.14	1.85	1.26	.44	.13	.24	6.16	P
LONGSTAFF BLUFF	A	.00	.00	.00	.00	.00	.16	1.75	1.20	.77	.00	.00	.00	3.88	R
	A	0.9	3.4	2.0	1.5	5.9	3.0	T	0.8	6.9	8.5	3.9	1.9	38.7	S
	A	.09	.34	.20	.15	.59	.46	1.75	1.28	1.46	.85	.39	.19	7.75	P
MACKAR INLET	A	.00	.00	.00	.00	T	.04	1.11	1.55	.12	T	.00	.00	2.82	R
	A	0.6	1.5	0.7	1.6	4.3	1.8	0.3	1.1	6.8	4.9	2.8	0.5	26.9	S
	A	.06	.15	.07	.16	.43	.22	1.14	1.66	.80	.49	.28	.05	5.51	P
MATHESON POINT	B	.00	.00	.00	.00	.00	.09	.91	1.46	.79	.00	.00	.00	3.25	R
	B	1.3	0.5	T	0.2	3.6	1.3	T	T	2.2	1.4	1.7	2.9	15.1	S
	B	.13	.05	T	.02	.36	.22	.91	1.46	1.01	.14	.17	.29	4.76	P
MOULD BAY	6	.00	.00	.00	.00	T	.06	.60	.53	.11	T	.00	.00	1.30	R
	6	1.2	0.7	1.2	1.1	2.5	1.1	1.2	1.9	3.2	2.5	1.0	1.1	18.7	S
	6	.12	.07	.12	.11	.25	.17	.72	.72	.43	.25	.10	.11	3.17	P
NICHOLSON PENINSULA	A	.00	.00	.00	.00	.10	.72	1.03	1.62	.39	.07	.00	.00	3.93	R
	A	0.7	1.0	1.0	1.7	0.9	0.2	0.1	0.1	1.8	5.0	1.6	1.0	15.1	S
	A	.07	.10	.10	.17	.19	.74	1.04	1.63	.57	.57	.16	.10	5.44	P
NORMAN WELLS A	6	T	.00	T	.06	.38	1.33	1.94	2.50	1.26	.10	.01	T	7.58	R
	6	7.6	6.2	4.7	4.6	2.2	0.1	0.0	T	2.4	8.4	9.5	8.0	53.7	S
	6	.76	.62	.47	.52	.60	1.34	1.94	2.50	1.50	.94	.96	.80	12.95	P
NOTTINGHAM ISLAND	1	.00	.00	T	T	.14	.65	1.37	1.78	1.21	.27	.01	T	5.43	R
	1	5.0	4.7	5.1	7.7	6.3	3.2	0.6	0.1	4.1	10.5	13.3	7.3	67.9	S
	1	.50	.47	.51	.77	.77	.97	1.43	1.79	1.62	1.32	1.34	.73	12.22	P
PADLOPING ISLAND	8	T	.05	.00	.00	.00	.35	1.09	.37	.48	.02	.00	.00	2.36	R
	8	6.6	7.8	2.8	2.4	6.6	4.6	1.4	2.6	6.3	14.0	14.5	5.8	75.4	S
	8	.66	.83	.28	.24	.66	.81	1.23	.63	1.11	1.42	1.45	.58	9.90	P
PEARCE POINT	B	.00	.00	.00	.00	T	.36	.97	1.08	.19	T	.00	.00	2.60	R
	B	3.1	2.2	4.5	8.1	3.0	0.3	0.1	T	3.3	5.7	1.2	3.6	35.1	S
	B	.31	.22	.45	.81	.30	.39	.98	1.08	.52	.57	.12	.36	6.11	P
PELLY BAY	A	.00	.00	.00	.00	.00	.21	1.32	2.77	.44	.00	.00	.00	4.74	R
	A	1.2	1.2	1.8	5.8	3.7	1.4	0.4	1.5	6.5	6.3	3.4	1.3	34.5	S
	A	.12	.12	.18	.58	.37	.35	1.36	2.92	1.09	.63	.34	.13	8.19	P
POND INLET	6	.00	.00	.00	.00	T	.35	1.10	1.01	.39	.02	.00	.00	2.87	R
	6	2.1	2.3	2.7	2.8	3.0	1.0	T	0.5	4.3	6.5	3.9	2.5	31.6	S
	6	.21	.23	.27	.28	.30	.45	1.10	1.06	.82	.67	.39	.25	6.03	P
PORT RADIUM	6	.00	T	.00	.01	.41	.51	1.37	1.68	.89	.28	T	.00	5.15	R
	6	4.3	3.1	5.6	2.4	1.3	0.5	0.1	T	1.0	7.7	9.9	5.5	41.4	S
	6	.43	.31	.56	.25	.54	.56	1.38	1.68	.99	1.05	.99	.55	9.29	P
RESOLUTE A	6	.00	.00	.00	T	T	.32	.89	1.09	.18	T	.00	.00	2.48	R
	6	1.0	1.2	1.2	2.2	3.6	1.9	0.4	1.5	5.5	6.3	2.3	1.7	28.8	S
	6	.10	.12	.12	.22	.36	.51	.93	1.24	.73	.63	.23	.17	5.36	P
RESOLUTION ISLAND	B	.01	.01	.01	.05	.30	.93	1.64	1.60	1.70	.45	.05	T	6.75	R
	B	9.0	8.4	7.8	6.1	6.7	2.5	T	0.1	2.3	8.4	11.9	13.4	76.6	S
	B	.91	.85	.79	.66	.97	1.18	1.64	1.61	1.93	1.29	1.24	1.34	14.41	P
ROSS POINT	8	.00	.00	.00	.00	T	.42	1.23	.86	.75	T	.00	.00	3.26	R
	8	0.7	0.4	0.9	1.5	1.6	0.1	T	T	2.0	3.9	1.9	1.0	14.0	S
	8	.07	.04	.09	.15	.16	.43	1.23	.86	.95	.39	.19	.10	4.66	P
ROWLEY ISLAND	A	.00	.00	.00	.00	.00	.02	1.19	1.12	.59	.00	.00	.00	2.92	R
	A	2.5	3.5	0.4	2.6	9.4	2.0	0.1	1.4	5.8	6.8	2.5	2.5	39.5	S
	A	.25	.35	.04	.26	.94	.22	1.20	1.26	1.17	.68	.25	.25	6.87	P
SACHS HARBOUR	8	.00	.00	.00	.00	T	.33	.76	.74	.24	.01	.00	.00	2.08	R
	8	0.8	0.7	0.8	1.3	1.8	0.3	0.5	1.0	3.0	4.7	1.9	1.7	18.5	S
	8	.08	.07	.08	.13	.18	.36	.81	.84	.54	.48	.19	.17	3.93	P
SHEPHERD BAY	A	.00	.00	.00	.00	.00	.18	1.09	1.68	.39	T	.00	.00	3.34	R
	A	2.2	1.3	0.1	1.9	1.3	0.1	T	0.2	2.8	6.1	3.0	1.8	20.8	S
	A	.22	.13	.01	.19	.13	.19	1.09	1.70	.67	.61	.30	.18	5.42	P

Monthly and Annual Precipitation in Inches

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
SIMPSON LAKE	B	.00	.00	.00	.00	.00	.30	1.38	2.04	.60	.00	.00	.00	4.32	R
	B	2.9	1.5	1.0	4.5	5.8	1.1	0.2	2.7	5.7	7.6	4.2	1.9	39.1	S
	B	.29	.15	.10	.45	.58	.41	1.40	2.31	1.17	.76	.42	.19	8.23	P
SNARE RAPIDS	4	.00	.00	.00	.05	.47	.62	1.71	1.99	1.13	.40	.00	.00	6.37	R
	4	4.8	4.7	7.0	4.5	0.4	0.0	0.0	0.0	1.2	7.8	8.7	8.9	48.0	S
	4	.48	.47	.70	.50	.51	.62	1.71	1.99	1.25	1.18	.87	.89	11.17	P
SPENCE BAY	8	.00	.00	.00	.01	.01	.40	.82	1.19	.37	.02	.00	.00	2.82	R
	8	2.9	3.4	3.9	3.1	6.4	5.9	0.2	0.0	3.7	10.1	4.5	2.8	46.9	S
	8	.29	.34	.39	.32	.65	.99	.84	1.19	.74	1.03	.45	.28	7.51	P
TUKTOYAKTUK	A	.00	.00	.00	.00	.26	.45	1.28	1.61	.38	.04	.00	.00	4.02	R
	A	1.8	4.0	0.9	3.6	0.7	0.6	0.3	0.0	1.3	3.5	2.4	2.2	21.3	S
	A	.18	.40	.09	.36	.33	.51	1.31	1.61	.51	.39	.24	.22	6.15	P
TUNUNUK	B	.00	.00	.00	.00	.12	.40	1.04	1.58	.80	.06	.00	.00	4.00	R
	B	5.5	1.3	1.5	3.4	T	0.0	0.0	0.8	3.6	6.4	2.2	1.7	26.4	S
	B	.55	.13	.15	.34	.12	.40	1.04	1.66	1.16	.70	.22	.17	6.64	P
WEST BAFFIN ISLAND	B	.00	.00	.00	.00	.00	.09	.46	2.53	.73	T	.00	.00	3.81	R
	B	0.7	3.0	0.3	0.9	5.4	0.2	0.0	1.3	1.7	4.7	2.0	1.6	21.8	S
	B	.07	.30	.03	.09	.54	.11	.46	2.66	.90	.47	.20	.16	5.99	P
WRIGLEY A	6	.00	.00	.00	.14	.80	1.34	1.95	1.81	1.20	.27	.01	.00	7.52	R
	6	8.3	4.8	4.6	4.4	1.7	0.0	0.0	0.0	1.3	7.9	8.4	8.0	49.4	S
	6	.83	.48	.46	.58	.97	1.34	1.95	1.81	1.33	1.06	.85	.80	12.46	P
YELLOWKNIFE A	6	.00	.00	.00	.08	.59	.64	1.42	1.39	1.08	.44	.03	T	5.67	R
	6	5.1	4.9	5.1	3.1	0.7	T	T	0.0	0.8	6.6	8.9	8.1	43.3	S
	6	.51	.49	.51	.39	.66	.64	1.42	1.39	1.16	1.10	.92	.81	10.00	P
YELLOWKNIFE HYDRO	6	.00	.00	.03	.10	.49	.70	1.65	1.66	1.17	.41	.03	.00	6.24	R
	6	5.0	4.5	5.5	3.3	1.2	0.1	0.0	0.0	0.7	5.6	8.4	8.5	42.8	S
	6	.50	.45	.58	.43	.61	.71	1.65	1.66	1.24	.97	.87	.85	10.52	P

Digitized by the Internet Archive
in 2022 with funding from
University of Alberta Library

https://archive.org/details/precipitationnor00cana

Date Due

YB31 Aug82			

Pam:551.577:(*41N0
CMB

45751

Canada. Meteorological Branch
AUTHOR

Precipitation normals for the Yukon
TITLE and Northwest Territories.

DATE LOANED	BORROWER'S NAME	DATE DUE
YB81 Staff	I. Singh	Aug 82

45751

BOREAL INSTITUTE FOR NORTHERN STUDIES, LIBRARY
THE UNIVERSITY OF ALBERTA
EDMONTON, ALBERTA T6G 2E9
CANADA

University of Alberta Library
0 1620 0333 0535